
HDCM1 Ceiling Mount Install Guide

Important Safeguards and Warnings


Prior to installation and operation of this product, please familiarize yourself thoroughly with the information in this manual, and observe the following WARNINGS.

- Installation and servicing should only be done by qualified service personnel and conform to all local codes.
- Installation shall be done in accordance with all local and national electrical and mechanical codes using only approved materials.
- Use only installation methods and materials capable of supporting four times the maximum specified load.

Note This mount is designed for indoor use only.

Parts List


1 — HDCM1 Ceiling Mount



Note The hardware to install the mount depends on your site installation requirements. All mounting hardware must have a minimum pullout strength of 600 lb. (272 kg) per bolt. When mounting to wood, use screws long enough to penetrate at least 2.5 inches (6.4 cm). If mounting to a steel structure, drill holes according to the mounting pattern. In masonry or concrete, use lead anchors or expansion bolts installed according to the manufacturer's instruction.

Specifications

Material: Aluminum
Maximum Load: 25 lb. (11.34 kg)
Finish: Epoxy Powder Coat Textured Pantone light grey (427C)
Dimensions:



Honeywell Systems Group (Head Office)

2700 Blankenbaker Pkwy, Suite 150
Louisville, KY 40299, USA
www.honeywellvideo.com
☎ +1.800.796.2288

Honeywell Systems Group Europe/South Africa

Aston Fields Road, Whitehouse Industrial Estate
Runcorn, Cheshire, WA7 3DL, UK
www.honeywell.com/security/uk
☎ +44.01928.754028

Honeywell Systems Group Pacific

Unit 5, Riverside Center, 24-28 River Road West
Parramatta, NSW 2150, Australia
www.honeywellsecurity.com.au
☎ +61.2.8837.9300

Honeywell Systems Group Asia

35F Tower A, City Center, 100 Zun Yi Road
Shanghai 200051, China
www.asia.security.honeywell.com
☎ +86 21.5257.4568

Honeywell Systems Group Middle East/N. Africa

Post Office Box 18530
LOB Building 08, Office 199
Jebel Ali, Dubai, United Arab Emirates
www.honeywell.com/security/me
☎ +971.04.881.5506

Honeywell Systems Group Northern Europe

Ampèrestraat 41
1446 TR Purmerend, The Netherlands
www.honeywell.com/security/nl
☎ +31.299.410.200

Honeywell Systems Group Deutschland

Johannes-Mauthe-Straße 14
D-72458 Albstadt, Germany
www.honeywell.com/security/de
☎ +49.74 31.8 01.0

Honeywell Systems Group France

Immeuble Lavoisier
Parc de Haute Technologie
3-7 rue Georges Besse
92160 Antony, France
www.honeywell.com/security/fr
☎ +33.(0).1.40.96.20.50

Honeywell Systems Group Italia SpA

Via della Resistenza 53/59
20090 Buccinasco
Milan, Italy
www.honeywell.com/security/it
☎ +39.02.4888.051

Honeywell Systems Group España

Mijancas 1. 3a planta
P.Ind. Las Mercedes
28022 Madrid, Spain
www.honeywell.com/security/es
☎ +34.902.667.800

Honeywell

www.honeywellvideo.com
+1.800.796.CCTV (North America only)
HVSsupport@honeywell.com

Document 900.0869 05/09 Rev. A

© 2009 Honeywell International Inc. All rights reserved. No part of this publication may be reproduced by any means without written permission from Honeywell Video Systems. The information in this publication is believed to be accurate in all respects. However, Honeywell Video Systems cannot assume responsibility for any consequences resulting from the use thereof. The information contained herein is subject to change without notice. Revisions or new editions to this publication may be issued to incorporate such changes.

Specifications subject to change without notice. Imperial conversions are approximate.